## Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

Monthly average prices at Boston, 1942 (Cents per pound) Scoured basis Domestic wool:

CURRENT SERIAL RECORD

\* FEB 7-1944 \*

EPARTMENT OF ASSIGULTURE																
II. S. BEPARTME		36's, 40's 44's Common and Braid	85.0	יא מ יע	3000	000	0 0	7 7 0	0,00	87.0	82.0	00.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	4.48	785.2	
		1/4 blood: Common Braid	0.98	2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000	2000		***	o to	ا ا ا	87.0	0.00	0. 1. 1.	85.8	86.0	the same of the sa
	Bright fleece 2/	56's '48's,50's' '8 blood 1/4 blood.	91.5	71.7 02.0	27.0	7.00	7.7	N L	88	30.0	ر د د د	92.5	0. 76	o. ts	87.5	And the second s
		56's 3/8 blood combing	97.0	0.00	0.66	100.2	78.2	91.9	92.4	94.5	100.5	101.5	103.5	102,0	888.2	
		581s,601s 1/2 blood combing	105.5	100.0	109.8	111,8	112,0	112,0	112,0	112,0	113.2	114.0	114.0	114.0	111.4	
		Fine !	103.2	106.0	10/.5	109.5	109.5	109.5	109.5	109.5	109.5	109.5	109.5	109.5	108.5	
		Fine : combing : (Delaine):	115.0	115.4	117.9	119.9	120.0		120.0	120.0	120.0	120.0	120.0	120.0	119.0	
Scottred basis	Semi-hright fleece 1/	1/4 blood	85.0	85.8	88.0	88.0	88.0	86.5	0.98	86.0	0.98	0.98	0.98	86.5	86.5	
Scot		48's,50's 1/4 blood combing	90.5	8.0	92.0	92.0	92.0	90.2	88.0	.88.0	92.0	92.0	93.5	93.5	91.28	
		56°s 3/8 blood combing	95.0	95.6	97.5	99.1	99.5	97.1	92.3	93.5	98.8	100.0	102.5	101.5	97-7	
		I O H	1 .	104.5		109.1	109.5	109.5	109.5	109.5	109.5	109.5	109.5	109.5	108.4	
		S, 80's: Fine	102,2	103,1	105.0	105.4	105.5	105.5	105.5	105.5	105.5	105.5	105.5	107.5	105.1	
		Fine combing (Stanle):		110.6	113.1	115.4		115.5		115.5	115.5	ההרו	77.5	115.5	114.4	
		Month	Jan	Feb.	Mar	Apr	May	Tune	Tul.	And	Sent	+	Mov	Dec	Av. (1942	

1/ Wools that are somewhat dark in color and of moderately heavy shrinkage. Nearly all of the wools grown in the farm land areas of the Dakotas, Nebraska, Kansas, and Oklahoma are of this type. Semi-bright wools are also grown in parts of Minnesota, Wisconsin, Iowa, and

River are of this type. Bright wools are also grown in parts of Minnesota, Iowa, and Missouri. Wools from Kentucky, Virginia, and Tennessee usually bring prices 1 to 3 cents per pound, grease basis, above bright fleeces because of their lighter shrinkage. Missouri.

2/ Wools that are bright in color and of relatively light shrinkage. Nearly all of the wools grown in the states east of the Mississippi (2) Wools that are bright wools are also grown in parts of Minnesota, Iowa, and Missouri. Wools from Kentucky, Virginia, and Tennes River are of this type. Bright wools are also grown in parts of Minnesota, Iowa, and Missouri. Wools from Kentucky, Virginia, and Tennes

Food Distribution Administration U. S. Department of Agriculture.

1,942 2 30 W

Monthly average prices at Boston, 1942 Domestic wool:

U. S. DEFARTMENT OF ACTIOU TURE

C. S. SIAL RECORD

\* FEB 7-1944 \*

Scoured basis (Cents per pound)

	Appropriate state of the state			
(Original bags)	Clothing (Fall)	101 101 101 101 101 101 101 101 101 101	89.	and in the
Texas 2/ (Or	French combing (8 months)	106.5 106.5 108.0 108.0 108.0 108.0	107.8	New Mexico,
Fine	Combing (12 mos.)	1116.00 116.00 116.00 116.00	115.5	Arizona, and
Territory 1/	36's,40's: 444's Common	88899999999999999999999999999999999999	1,06 80°0	including Ari
	461s Low 1/4 blood	8 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	90.7	states, in
	4818,5018 1/4 blood combing		95.3	Inter-Mountain
	3/8 blood:1	2222222884442 0400000000	4.46	the Inter
	56's 3/8 blood:3/8 combing cl	1001 1004 1004 1004 1004 1004 1004 1004	102.6	oregon.
	blo	101 101 1001 1002 1008 1006 55 1006 55 1006 55 1006 55 1006 55 1006 55 55 55 55 55 55 55 55 55 55 55 55 55	103.7	Washington.
	81s, 6 /2 blo Frenc	107-0 1007-0 1100-0 1100-0 1100-0 1100-0 1100-0	109.5	p areas of
	:1/2 blood:1	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	113.5	agner of the
	Fine elothing	104.0 104.0 106.0 107.5 107.5 100.0 110.0	107.5	00001+10ng
	M	1111 1111 1111 1111 1111 1111 1111 1111 1111	115.4	080 000
		116.0 119.0 119.0 119.0 119.0	119.1	man proper many or any
	Month	Jan. Feb. Mar. Apr. May June July Aug. Sept. Oct.	Av. (1942	Tools T

range areas of the Dakotas, Nebraska, Kansas, and Oklahoma. Territory wools cover a vide range in shrinkage, and in color.

2/ Wools grown under range conditions in the range areas of Texas. They are mostly bright in color and moderate in shrinkage except in the Panhandle district, where they are considerably darker in color and heavier in shrinkage.

Food Distribution Administration, U. S. Department of Agriculture.